

ALUMINA

nonlocked / keylocked

ASSEMBLY INSTRUCTIONS: V.9-19



P2: safety instructions

P3: contents

P4: assembly instructions

P7: application

Safety instructions: Alumina non + key locked

Important safety instructions

Warning - to reduce the risk of burns, fire, electric shock or injury to persons:


- 1. Close supervision is necessary when this unit is used by, or near children, invalids, or disabled persons.
- Use this unit only for its intended use as described in this manual.
 do not use attachments not recommended by the manufacturer.
- 3. Never drop or insert any object into any opening other then the intended use of presenting sunglasses.

Maintenance instructions - instructions for cleaning and user maintenance operations:


- 1. The exterior of a secure display system may only be cleaned with a non-static brush.
- The secure display system has no user serviceable parts. All malfunctional or damaged components are to be replaced by a service representative duly authorized by Frame Displays or an official top vision dealer.

Intended use


- 1. The indented use of the secure display system is to display eyewear frames and sunglasses.
- 2. This product is for commercial use only.



REQUIRED TOOLS







15 positions: 1170 mm 18 positions: 1380 mm


15 positions: 573 mm 18 positions: 706 mm

190mm

1900mm

* - Optional 3rd wall bracket

** - Advised distance



2






95092 S6 x 35


A Ø2 mm - for assembly on a wooden panel


Ø4,5 mm - for assembly on a Plexi panel


Ø6 mm - for assembly on a stone wall




* - Optional 3rd wall bracket








16003 (15/18x)



6




16008 (2x) or 16008 (2x)



16905 (2x) M4x4








16905 (2x) M4x4





APPLICATION

