

A 66X

Alloy rods

Available in 5 pre-cut or custom lengths:

66A: 23.6" **66D:** 48.0"

66B: 31.5" **66E:** 72.0"

66C: 39.4"

66RPYV

Recessed panel pylon for vertical system

for 66VW or 66P clips

Length: approx. 2.3"

66PYV

Surface wall pylon for vertical system

for 66VW or 66P clips

Length: approx. 2.4"

66RPYN6

Recessed panel pylon for

66N6 nose clip Length: approx.6.4"

66PYN6

Surface panel pylon for 66N6

nose clip Length: approx. 6.0"

66RP-B/O

Cabinet open or closed recessed pylon for straight rod installation

66VW

Stainless steel frame holder for vertical rod

66P

Polycarbonate frame holder for vertical rod

66N6

Adjustable polycarbonate nose clip for vertical rod

Package




Rod length

Frame holders


Pylons

Package	Rod length	Frame holders	Pylons
66A-66RPYV-66P	23.6"	9 Polycarbonate (H)	2 Recessed panel
66A-66RPYV-66VW	23.6"	9 Stainless steel (G)	2 Recessed panel
66A-66PYV-66P	23.6"	9 Polycarbonate (H)	2 Surface wall
66A-66PYV-66VW	23.6"	9 Stainless steel (G)	2 Surface wall
66A-66RP-B/O-66P	23.6"	9 Polycarbonate (H)	2 Recessed cabinet
66A-66RP-B/O-66VW	23.6"	9 Stainless steel (G)	2 Recessed cabinet
66A-66RP-B/O-66N6	23.6"	9 Adjustable nose clips	2 Recessed cabinet
66A-66RPYN6-66N6	23.6"	9 Adjustable nose clips	2 Surface wall
66A-66PYN6-66N6	23.6"	9 Adjustable nose clips	2 Surface wall
66B-66RPYV-66P	31.5"	12 Polycarbonate (H)	2 Recessed panel
66B-66RPYV-66VW	31.5"	12 Stainless steel (G)	2 Recessed panel
66B-66PYV-66P	31.5"	12 Polycarbonate (H)	2 Surface wall
66B-66PYV-66VW	31.5"	12 Stainless steel (G)	2 Surface wall
66B-66RP-B/O-66P	31.5"	12 Polycarbonate (H)	2 Recessed cabinet
66B-66RP-B/O-66VW	31.5"	12 Stainless steel (G)	2 Recessed cabinet
66B-66RP-B/O-66N6	31.5"	12 Adjustable nose clips	2 Recessed cabinet
66B-66RPYN6-66N6	31.5"	12 Adjustable nose clips	2 Surface wall
66B-66PYN6-66N6	31.5"	12 Adjustable nose clips	2 Surface wall

MOUNTING EXAMPLES



Panel mount



Wall mount



Cabinet mount





Package	Rod length	Frame holders	Pylons
66C-66RPYV-66P	39.4"	15 Polycarbonate (H)	2 Recessed panel
66C-66RPYV-66VW	39.4"	15 Stainless steel (G)	2 Recessed panel
66C-66PYV-66P	39.4"	15 Polycarbonate (H)	2 Surface wall
66C-66PYV-66VW	39.4"	15 Stainless steel (G)	2 Surface wall
66C-66RP-B/O-66P	39.4"	15 Polycarbonate (H)	2 Recessed cabinet
66C-66RP-B/O-66VW	39.4"	15 Stainless steel (G)	2 Recessed cabinet
66C-66RP-B/O-66N6	39.4"	15 Adjustable nose clips	2 Recessed cabinet
66C-66RPYN6-66N6	39.4"	15 Adjustable nose clips	2 Surface wall
66C-66PYN6-66N6	39.4"	15 Adjustable nose clips	2 Surface wall
66D-66RPYV-66P	48"	19 Polycarbonate (H)	2 Recessed panel
66D-66RPYV-66VW	48"	19 Stainless steel (G)	2 Recessed panel
66D-66PYV-66P	48"	19 Polycarbonate (H)	2 Surface wall
66D-66PYV-66VW	48"	19 Stainless steel (G)	2 Surface wall
66D-66RP-B/O-66P	48"	19 Polycarbonate (H)	2 Recessed cabinet
66D-66RP-B/O-66VW	48"	19 Stainless steel (G)	2 Recessed cabinet

Package	Rod length	Frame holders	Pylons
66D-66RP-B/O-66N6	48"	19 Adjustable nose clips	2 Recessed cabinet
66D-66PYN6-66N6	48"	19 Adjustable nose clips	2 Surface wall
66D-66RPYN6-66N6	48"	19 Adjustable nose clips	2 Surface wall
66E-66RPYV-66P	72"	28 Polycarbonate (H)	3 Recessed panel
66E-66RPYV-66VW	72"	28 Stainless steel (G)	3 Recessed panel
66E-66PYV-66P	72"	28 Polycarbonate (H)	3 Surface wall
66E-66PYV-66VW	72"	28 Stainless steel (G)	3 Surface wall
66E-66RPYN6-66N6	72"	28 Adjustable nose clips	3 Surface wall
66E-66PYN6-66N6	72"	28 Adjustable nose clips	3 Surface wall


Custom lengths are also available upon request

Note: Items not shown to scale


HORIZONTAL ROD OPTIONS



MOUNTING EXAMPLES



Panel mount



Wall mount



Cabinet mount

A 66X

Alloy rods

Available in 5 pre-cut or custom lengths

Standard lengths:

66A: 23.6"

66B: 31.5"

66C: 39.4"

66D: 48.0"

66E: 72.0"

G 66RPYH

Recessed panel pylon for horizontal system

Length: approx. 3.8"

D 66PYH

Cabinet open or closed recessed pylon

Length: approx. 3.0"

D 66RP-B/O

Cabinet open or closed recessed pylon

E 66S

Stainless steel frame holder

F 66PP

Polycarbonate frame holder

AVAILABLE HORIZONTAL PACKAGES


Package	Rod length	Frame holders	Pylons
66A-66RPYH-66PP	23.6"	4 Polycarbonate	2 Recessed panel
66A-66RPYH-66S	23.6"	4 Stainless steel	2 Recessed panel
66A-66PYH-66PP	23.6"	4 Polycarbonate	2 Surface wall
66A-66PYH-66S	23.6"	4 Stainless steel	2 Surface wall
66A-66RP-B/O-66PP	23.6"	4 Polycarbonate	2 Recessed cabinet
66A-66RP-B/O-66S	23.6"	4 Stainless steel	2 Recessed cabinet
66B-66RPYH-66PP	31.5"	5 Polycarbonate	2 Recessed panel
66B-66RPYH-66S	31.5"	5 Stainless steel	2 Recessed panel
66B-66PYH-66PP	31.5"	5 Polycarbonate	2 Surface wall
66B-66PYH-66S	31.5"	5 Stainless steel	2 Surface wall
66B-66RP-B/O-66PP	31.5"	5 Polycarbonate	2 Recessed cabinet
66B-66RP-B/O-66S	31.5"	5 Stainless steel	2 Recessed cabinet
66C-66RPYH-66PP	39.4"	7 Polycarbonate	2 Recessed panel
66C-66RPYH-66S	39.4"	7 Stainless steel	2 Recessed panel
66C-66PYH-66PP	39.4"	7 Polycarbonate	2 Surface wall
66C-66PYH-66S	39.4"	7 Stainless steel	2 Surface wall
66C-66RP-B/O-66PP	39.4"	7 Polycarbonate	2 Recessed cabinet
66C-66RP-B/O-66S	39.4"	7 Stainless steel	2 Recessed cabinet

EXTRA PIECES

Ⓜ



INDIVIDUAL FRAME HOLDERS




ⓐ




Ⓚ




ⓗ




Ⓛ



Ⓢ



Ⓜ



Package	Rod length	Frame holders	Pylons
66D-66RPYH-66PP	48"	8 Polycarbonate	2 Recessed panel
66D-66RPYH-66S	48"	8 Stainless steel	2 Recessed panel
66D-66PYH-66PP	48"	8 Polycarbonate	2 Surface wall
66D-66PYH-66S	48"	8 Stainless steel	2 Surface wall
66D-66RP-B/O-66PP	48"	8 Polycarbonate	2 Recessed cabinet
66D-66RP-B/O-66S	48"	8 Stainless steel	2 Recessed cabinet
66E-66RPYH-66PP	72"	12 Polycarbonate	3 Recessed panel
66E-66RPYH-66S	72"	12 Stainless steel	3 Recessed panel
66E-66PYH-66PP	72"	12 Polycarbonate	3 Surface wall
66E-66PYH-66S	72"	12 Stainless steel	3 Surface wall

Custom lengths are also available upon request

ⓐ 66M

Open polycarbonate frame holder with magnetic attachment

Held by two strong magnets. Holds tight to any magnetic surface.

ⓗ 66PA

Polycarbonate frame holder

Inserts directly into laser-cut square holes in acrylic or wood panels.

Ⓢ 66VWA

Stainless steel frame holder

Inserts directly into laser-cut square holes in acrylic or wood panels.

66AEC

End cap for exposed alloy rod ends

Ⓚ 66SM

End cap for surface wall pylon

Ⓛ 66RPO

Open recessed panel pylon

Ⓜ 66RPB

Closed recessed panel pylon